



ADDITIVE 5820 - 6405820

Product Description

Product suitable for: olefinic resin application, providing features and improved anti-block between the sliding surfaces, can be used in the processes of films, injection and blow. Assists in the process of filling, avoiding interruption of the flow during packaging.

Recommended dosage : 3,0 %

Carrier resin: LLDPE

Concentrate of: anti-block additive and slip

Typical Product Characteristics

Properties	Test methods	Tolerance limits
Melt Flow Index of the Carrier Resin	ASTM D1238; IT-PDE-025	7,0 g/10min

Monitored Characteristics

Properties	Test methods	Tolerance limits
Additive Content min	ASTM D1238; IT-PDE-025	Mín. 4,50 %
Ash Content	IT-PDE-012 - ASTM D 5630	23,0 a 26,0
Physical Form	P-PR-2907	Uniform pellets free from contamination

Regulatory Requirements

Laws/Standards	Limit of Application
(EU) 10/2011 - Foods	No restrictions
94/62/EC	No restrictions
ANVISA 105/99 (RDC 17/08, 52/10, 56/12)	No restrictions
ASTM F 963 - Toys	No restrictions
BfR (Germany)	No restrictions
CONEG	No restrictions
EN 71-3 - Toys	No restrictions
FDA 21 CFR	Up to 6,0 % in the final
French Positive List (France)	No restrictions
Heavy metal free	
NM 300-3 - Toys	No restrictions
REACH	No restrictions
Resolution AP (89) 1	No restrictions
RoHS - 2011/65/EU	No restrictions

Review reason: Inclusion of regulations

Reason: 4 Date: 03.23.2012

The technical information and legislation reproduced here represent the best of our experience. However, no liability will be assumed for practical results obtained beyond our control. There are laws and regulations that shall be observed by the customers, being also applicable to third parties. This information does not exempt customers from their liability to check the fitness of our masterbatches to the final product. For further information, refer to our technical support department.



ADDITIVE 5820 - 6405820

Cromex doesn't use ozone-depleting substances (ODS), volatile organic compounds (VOCs), asbestos, TAA and ITX as masterbatch raw materials.

This data was printed on 06.12.2015 and is valid without signature.

The technical information and legislation reproduced here represent the best of our experience. However, no liability will be assumed for practical results obtained beyond our control. There are laws and regulations that shall be observed by the customers, being also applicable to third parties. This information does not exempt customers from their liability to check the fitness of our masterbatches to the final product. For further information, refer to our technical support department.
